

DATASHEETS

JBOD Systems



Cubis JBOD systems



Key Features

- > Fully compatible with Cubis Storage Servers
- > Superior storage capability with the use of up to 36x16TB HDDs
- > Maximum raw storage 576TB
- > Rack mounted
- > Hot swappable capabilities
- > Industrial Design

SPECIFICATIONS

Raw Storage	Up to 576TB
Connection port	SFF8044 to SFF 8044
Backplane	12G
Hot swap HDDs	Up to 36
Wallmounted	No
Rackmounted	Yes
Rails	Yes
Redundant PSU	Yes
Power Consumption	800W (16B-24B) / 1200W (36B)
Input Voltage	220~240 AC
Weight	35 kgs
Dimensions (WxLxH)	437x550x132mm - 3U (16B) 437x550x176mm-4U (24B-36B)
Warranty	2 years

MODELS

MODEL	PART No.	DESCRIPTION
CBJBOD-16B	2170001	16Bays
CBJBOD-16B-8T	2170002	16Bays fully loaded with 8TB HDDs
CBJBOD-16B-10T	2170003	16Bays fully loaded with 10TB HDDs
CBJBOD-24B	2170011	24Bays
CBJBOD-24B-8T	2170012	24Bays fully loaded with 8TB HDDs
CBJBOD-24B-10T	2170013	24Bays fully loaded with 10TB HDDs
CBJBOD-36B	2170021	36Bays
CBJBOD-36B-8T	2170022	36Bays fully loaded with 8TB HDDs
CBJBOD-36B-10T	2170023	36Bays fully loaded with 10TB HDDs



CUBITECH LTD

UK HEADQUARTERS

12 Basepoint Business Centre,
Enterprise Close, Christchurch,
Dorset BH23 6NX, POOLE, UK

DISTRIBUTION CENTER

4-6 Kiprou Str., 177 78, Tavros,
Athens, Greece
T +30 210 9580887-8
F +30 210 9580885

E. info@cubitech.com
www.cubitech.com